

Attention:


- ◆ This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- ♦ If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.







ASA REINHEIMEN



Ecological • intelligent air purifier Heimen series

Thank you for use this product which protected by intellectual property.

Please read this instruction manual carefully before

use and keep it for future use.



If the parameter, specification and other information maybe changed, we will not notice specially, please refer to the actual machine

The "optional" are optional functions, please kindly check with the retailer if your machine with these functions

ACA Reinheimen • intelligent air purifier

Heimen series

Make an ecotypic home to avoid viruses

Environment self cicatrization

produces "air vitamin"

•It can generate 5,000,000 "air vitamin" every second which can improve the home environment.

Anti bacteria

Restrain the breeding and activity of viruses

•UV light can efficiently kill bacteria and inhibit its activation

Healthy air

Healthy air is the basis of health and life

• A child needs 400KG of air everyday, equal to 100 times of an adult needs water per day. So it is very important to the health to improve the air environment of live.



CALITICALO



ODED ATIMO INICTDUCTION

CAUTIONS 1-3	OPERATING INSTRUCTION9-1
WARNING2	Power setting
ATTENTION 3	Function setting
	Timing setting1
PRODUCT PERFORMANCE	Fan speed setting1
AND TECHNICAL FEATURES 4	Reset setting1
Product performance 4	
Technical features 4	MAINTENANCE AND CLEANING INSTRUCTION12-1
COMPONENT INTRODUCTION 5-6	Maintenance and cleaning instruction 1
Diagram of the outlook 5	Methods for replacing UV lamp 1
Diagram of unit 5	Disassembly and installation for UV lamp 1
Operating parts 6	
	FAQ 1
CAUTIONS BEFORE OPERATING7-8	
Placement 7	TECHNICAL PARAMETERS 15-1
Disassembling filter cover 7	Parameters of the unit 1
Installation of the filters 8	Filter parameters 1
Power supply 8	UV parameters 1



CAUTIONS

In order to prevent harm or damage happened to users or others, be sure to comply with the requirement as below:

Warning/Attention

/ Warning

It reminds that misusing or mishandling may cause death.

It reminds that misusing or mishandling may cause hurt.



FORBID



FORCE

Kindly attention:

If the power wire is broken, to prevent danger happend, please send it to agent, after-sales service or technical person for repair.

Please supervise your children and avoid them from touching or using machine.

Do not connect or disconnect the power with wet hand It may cause electrical

shocking.

AVOID WET

Avoid any water on the surface of the

It may cause short circuit or electrical shocking.

Do disconnect the power when cleaning

Otherwise the unit may start working in a sudden which may cause electrical shocking or

Do not insert any metal objects into the unit.

It may cause hurt or electric

No disassembly, repair and

It may cause fire or damage.

Please send it to the retailer

NO DISASSEMBLE

reconstruction.

for repair.



Do not use the over run socket or wiring connector.Do use the rated voltage.

It may cause fire

Do plug the power into the socket completely.

ATTENTION

It may cause fire because of heating or electrical shocking.

Do not use the damaged plug or loose



Do not repair it when the cord or plug is damaged.

FORBID

It may cause short circuit, electric shocking or fire.

Please send it to the retailer for

If there is dust on the plug, it may weaken the insulation, even cause fire

Take out the plug and clean it with dry cloth.

Please remove the plug from the socket if not using for a long period.













User manual

Ecological · intelligent air purifier

ATTENTION



ATTENTION

Do not power the unit on when using insecticide in the room

Otherwise the insecticide may be stored in the unit and will blow out during the normal working time. It is harmful to the health.

Please ventilate completely after having used the insecticide before turn on the unit.



Keep away from alcohol,organic impregnant or insecticide

It may cause cracking, short circuit, electric shocking, hurt or fire



Do not use in the room with lampblack such as kitchen.

It may cause hurt because the machine is not a ventilator

Please ventilate timely when


of Co, as the machine is not a

Otherwise it may cause poisoning

used with fire in the room

Do not blow in any combustible or fired cigarette into the unit.

It may cause fire



Otherwise it may cause creepage, electric shocking or fire.



Please hold the plug instead of the cord when unplug the power.

Otherwise it may cause short circuit, breaking of the cord, electric shocking or fire.



Please remove the plug from the socket if any conditions as below:

- If all switches do not work
- If the power cord or plug hot singularly
- If any peculiar smell, exceptional noise or vibration
- Any other abnormality or failure



PRODUCT PERFORMANCE AND TECHNICAL FEATURES

Product performance

- HEPA: Using a new generation of composite materials, can effectively remove of particle.
- Activated carbon filter: Biosynthesis of walnut shell, the adsorption area is bigger, it can effectively remove smoke and formaldehyde.
- Photo catalyst: Using titanium dioxide (TiO2) material, its oxidation function can damage the filter captured the cell membrane of bacteria, inhibit virus activity.
- UV lamp: Air is the main path leading to the spread of the virus, using UV air sterilization technology, the environment of natural bacteria killing rate can reach more than 96%.
- Anion: Negative ion is praised as Air Vitamin. People live in the high negative ionic environment, can promote human new and old superseded, improve immunity.
- Ozone: Strong degradation of organic odor and sterilizing function.
- (Ozone function is optional, please refer to the actual machine for configuration)

Technical features

- IMD control panel: Using a new generation of IMD technology, more convenient control.
- Digital display: Temperature, humidity, timer indicator, more intuitive and easy to understand.
- Automatic alarm: Set filter, UV lamp replacement warning indicator.
- ERP design, standby power≤0. 5W.
- Energy saving motor, more quiet and more green.

Professional quality. Technology innovation

COMPONENT INTRODUCTION

Diagram of the outlook



Diagram of unit



- 1 Left cover
- 2 Aroma(optional)
- Body
- 4 Activated carbon+photo catalyst

Ecological · intelligent air purifier

- **6** UV lamp
- 6 HEPA
- Right filter cover

COMPONENT INTRODUCTION

Operating parts

• Digital Indicator








Temperature

Humidity

Timing

Screen diagram



User manual 6

CAUTIONS BEFORE OPERATING

Placement

- Please keep the machine air inlet and outlet 30cm or more away from the wall and home furniture
- Do not use the machine in front of heat source outlet.

Disassembling filter cover

· Disassembly diagram



Lift up the unit with one hand and open the side cover with another hand by holding up from the bottom of the cover.

· Installation diagram



- 1.Please insert the top part of side cover into the slot.
- 2. Press down the bottom part of side cover, then it's installed well.

CAUTIONS BEFORE OPERATING

Installation of the filters

- Take off right side cover.
- Take out HEPA, activated carbon+photo catalyst filter, and tear off its PE bag, please install filters sequentially.



Take off right side cover




Install activated carbon+photo catalyst filter



Install HEPA

Power supply

AC voltage



Power plug

Please don't connect this machine with wrong voltage of power supply, inserting the plug firmly into the power socket.

OPERATING INSTRUCTION

Power setting

 To press the "power"icon on the product operating panel, machine is entered the initial working status.
 The diagram as following:



Function setting

 To press the "function" icon on the product operating panel, the anion, ozone and UV can be chosen individually or multiply or close three functions.
 The diagram as following:



6	Anion
*\$	UV lamp
O	Ozone(optional function

OPERATING INSTRUCTION

Timing setting

- Hold on "Timing" button, digital display is flashing and turn to time setting mode.
- Continuous press timing button to select time setting from 0 to 12 hours, after 5 seconds machine automatically go to have time setting memory as below.



Remark 1: Press timing button on operation panel to preview how long time setting.

Remark 2: Hold on timing button if you want to cancel time setting.

Remark 3: When time setting is finished/power off,machine turn to normal working

Fan speed setting

- Fan speed"high, medium, low"can be selected after pressing the "fan speed" icon on the product operating panel.P1
- Sleep mode: pressing "fan speed" icon and hold on for 3 seconds, the sleep mode will be on, if pressing any icons, the sleep mode will be cancelled.P2::





P1:speed adjustment diagram


P2:Sleep mode diagram

Remark: Sleep mode is night mode, fan speed and noise are very low, all indicators are not lighted.

MAINTENANCE AND CLEANING INSTRUCTION

Reset setting

- If the filter icons are always flashing, it means the filters life time comes to the end, please clean or replace new filters.
- After cleaning or replacing new filters, please press "Reset" icon, then filter icons will stop flashing, the machine starts to record the filters using time.



Maintenance and cleaning instruction

Maintenance and cleaning instruction



Please remove plug from the socket before cleaning and maintenance.



- $\bullet\,$ Cleaning the body for this device by damp cloth, then wipe it dry.
- If machine is too dirty, neutral detergent can be used for cleaning, but please dilute the detergent before use.
- Do not clean the unit with the solvent listed on the right which may cause distortion or discolour.

Methods for replacing UV lamp

 Photo sensor is built-in the device, if the UV light is very weak or not lighted, the UV icon on the product operating panel will be flashing; it means UV lamp should be replaced.
 The diagram as following:



FAQ

Disassembly and installation for UV lamp

• Take off the filter cover, and take out all filters, then UV lamp can be replaced. The diagram as following:

Disassembly of UV lamp





Hold the UV lamp and rotate it for 90 clockwise or anticlockwise, then take it out.

Installation of UV lamp





Hold the UV lamp and rotate it for 90 clockwise or anticlockwise, then install it well.

• If the machine can't work properly, please kindly check as below before you send it out for repair.

Abnormal occurrence	Checking methods	Solution	
Do not work	Please check if the plug is disconnected from the socket.	Power plug should be plugged properly	
	Please check if the filter cover is installed completely	Recover the filter cover correctly	
Odor can not be removed.	Is there a very strong odor in the using environment? (Notes:air should be purified continuously)	Suggesting to ventilate, then start up the machine.	
	Does the using life time for activated carbon filter come to the end?	→ Please replace new filters.	
High noise	Is the PE bag for filter removed?	→ Please take out filters and tear off PE bag.	
	Does the using life time for HEPA come to the end?	→ Please replace new HEPA .	
Small changes for humidity or temperature data	Is the machine using area too big?	→ Please use this machine in applicable room.	

If the problem is still existed after above inspections, please disconnect the power and send it for repair.

TECHNICAL PARAMETERS

TECHNICAL PARAMETERS

Parameters of the unit

Model No.:	ACA Reinheimen			
Voltage Supply:	220V-240V,50Hz			
Air flow volume(m³/h):	≥150m³/h			
Noise level dB(A):	≤40dB(A)			
Length of power cord:	≥1. 4M			
Product size:	329x172x300(mm)			
Net weight:	4KG			
Power rating (W):	39W			
Applicable area:	25m²(269ft²)			

Filter parameters

Description Size		Life time	
HEPA L206xW99xH40(mm)		About 12 months	
Activated carbon and photo catalyst L206xW97xH15(mm)		About 6 months	

UV parameters

Description	Model	Power rating	Wave length	Life time
UV lamp	Т5	6W	254nm	8000h